UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/757,910	01/15/2004	Wolfgang Neuberger	BJA334A	4796
28184 BOLESH J. SK	7590 01/13/201 UTNIK	0	EXAMINER	
CERAMOPTEC INDUSTRIES, INC.			FARAH, AHMED M	
515 SHAKER RD. EAST LONGMEADOW, MA 01028			ART UNIT	PAPER NUMBER
			3769	
			MAIL DATE	DELIVERY MODE
			01/13/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/757,910	NEUBERGER, WOLFGANG				
Office Action Summary	Examiner	Art Unit				
	Ahmed M. Farah	3769				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>08 S</u>	Sentember 2009					
· <u> </u>	·					
<i>,</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under Ex parte Quayle, 1933 C.D. 11, 433 C.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-17 and 19-24</u> is/are pending in the)⊠ Claim(s) <u>1-17 and 19-24</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-17 and 19-24</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte				

DETAILED ACTION

Response to Arguments

Applicant's arguments, see page 7, paragraph 2 of the Remarks section, filed September 8, 2009, with respect to the rejection(s) of claim(s) 1-7, 9-17, and 19-24 under 35 USC 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Neuberger et al. US Patent No. 6,503,268.

The applicant argued that the secondary reference, US Patent 7,201,766 to Butler, is not prior art because it has an effective filing date later than the priority date of the instant application. Hence, the examiner withdraws the rejections under Butler and new rejection follows.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7, 9-17 and 19-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen US Patent No. 6,416,531 in view of Neuberger et al. US Patent No. 6,503,268.

Art Unit: 3769

Chen discloses a phototherapeutic apparatus and method of use, the apparatus comprising: a light source **26**; and a beam splitter **28** featuring a multiple radiation output port adapted to accept a plurality of waveguides **30a-30e** (see Fig. 1). In alternative embodiment, Chen discloses a multiple of probes, each comprising a plurality of LED's (see Figs. 3-5C).

Chen does not teach a control means for control the output of the light source 26 or for independently controlling the light LED. However, the use of control mechanism for controlling the output of treatment light sources is known in the art. Neuberger et al. disclose an alternative treatment apparatus and method of use, the apparatus comprising a plurality of laser diodes that can be independently powered and thus controlled, a power supply for powering the laser diodes, and a programmable controller operatively connected to the laser diodes connected and the power supply to control the output of the light source (see col. 2, lines 47-49; col. 4 lines 11-17; and col. 5, lines 2-4). Therefore, at the time of the applicant's invention, it would have been obvious to one of ordinary skill in the art to modify Chen in view of Neuberger et al. and use a control means to control the output power of the light source(s).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ahmed M. Farah whose telephone number is (571) 272-4765. The examiner can normally be reached on Mon, Tue, Thur and Fri between 9:30 AM 7:30 PM.

Application/Control Number: 10/757,910 Page 4

Art Unit: 3769

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johnson Henry can be reached on (571) 272-4768. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ahmed M Farah/ Primary Examiner, Art Unit 3769

December 21, 2009.